James Lever Rope & Twine Manufacturers Since 1856



Sliding Window Sash Cords

A range of 'Everlasto' sash cords from UK manufacturers James Lever of Bolton - the established name for high quality, traditional sash window cords.





Sash Window Cords

Rope & Twine Manufacturers Since 1856

James Lever have been manufacturing traditional ropes, twines and cords in Bolton, Lancashire since 1856.

Now in its sixth generation, James Lever is one of the oldest established rope and twine manufacturers still operating in the UK. Our sash cords have hung sash windows in the great houses of the UK as well as the more humble and less grand domestic dwellings.

Our sliding window sash cords are available in a range of both traditional natural and modern synthetic materials including waxed cotton, cotton, jute, nylon and polypropylene.

The manufacturing of our traditional sash window cords has changed little over the past 150 years. Although the means of production may have been modernised, the traditional techniques used remain the same. This helps ensure Everlasto sash cords remain unrivalled to this day.





Sash Window Cords Since 1856

Rope & Twine Manufacturers Since 1856

Everlasto Weatherproof Waxed Cotton Sash Cords

Everlasto 'Blue Wrapper' and 'Red Wrapper' waxed cotton sash cords are superior quality sash cords made from natural cotton fibres in a 16 plait construction. They have a polypropylene core to ensure high strength and are waxed for long lasting weatherproof durability. These waxed cotton sash cords are ideal for use with traditional sash windows but can also be used with racking, pulley systems, flagpoles, aerials or as a traditional weatherproof clothes line.





Blue & Red Wrapper Sash Cord

Size	No.1 (5mm)	No.2 (6mm)	No.3 (6.5mm)	No.4 (7mm)	No.5 (8.5mm)	No.6 (10mm)
Break Strain (KG)	320 / 325	345 / 350	350 / 360	360 / 370	390 / 400	445 / 455





Rope & Twine Manufacturers Since 1856

Everlasto Solid Braided Cotton Sash Cord

Everlasto 'Superbraid' cotton sash cord is a firm round braided cord manufactured in a spiral braid construction. Solid braid cotton sash cord is manufactured from natural cotton yarn, with both a cotton core and outer. It's hard laid make up means it is tough and long-lasting, and ensures smooth running in pulley systems. It is most commonly used with sash windows but often used as an awning cord, tent line or clothesline. Also available in 'red spot' with a red fleck.



Superbraid Sash Cord

Everlasto Sash Cord Break Strain - To Be Used as a Guide Only Superbraid Approximate Break Strain

Size	No.6 (5mm)	No.7 (6mm)	No.8 (6.5mm)	No.9 (7mm)	No.10 (8.5mm)
Break Strain (KG)	100	115	135	165	230





Rope & Twine Manufacturers Since 1856

Everlasto Natural Plaited Jute Sash Cord

Everlasto 'Plaited Jute' sash cords are high quality sash cords made from natural jute fibres. These jute sash cords are made with a polypropylene core for strength and a natural jute outer. Jute sash cords are available in either brown or black and are perfect for use with sash windows, pulley systems or as a traditional jute clothes line. Black jute sash cords are particularly popular in the theatre and film industries where the cord must be concealed from view.



Everlasto Sash Cord Break Strain - To Be Used as a Guide Only Plaited Jute Approximate Break Strain

Plaited Jute Sash Cord

Size	No.2 (4.5mm)	No.3 (5mm)	No.4 (6mm)	No.5 (7mm)	No.6 (8.5mm)	No.8 (10mm)
Break Strain (KG)	105	115	160	180	255	330





Rope & Twine Manufacturers Since 1856

Everlasto Plaited Nylon Sash Cord

Everlasto 'Nylon Plait' sash cords are high quality sash cords manufactured using strong nylon fibres. They have an 8 plait nylon cover and nylon core. Nylon is the strongest and most versatile fibre used for our sash cords. It offers high strength, good elasticity and good memory under loads. It is also resistant to abrasion, most chemicals, rot, mildew and mould. Although primarily used with sash windows it is also commonly used for pulley systems, flagpoles and clotheslines.

Everlasto Sash Cord Break Strain - To Be Used as a Guide Only Plaited Nylon Approximate Break Strain

Size	No.2 (4.5mm)	No.3 (5mm)	No.4 (6.5mm)	No.5 (7mm)	No.6 (8.5mm)
Break Strain (KG)	270	300	380	575	790



Nylon Plait Sash Cord





Rope & Twine Manufacturers Since 1856

Everlasto Solid Braided Nylon Sash Cord

Everlasto 'Nylon Braid' sash cords are our strongest sash cords and are made from strong solid spiral braided nylon fibres. Their hard laid, solid braid make up means they are extra strong and hardwearing, helping ensure a long life. As they are synthetic they are weatherproof and have good resistance to rot, mildew and mould. They are ideal for use with larger sash windows and pulley systems where extra strength is critical.

Everlasto Sash Cord Break Strain - To Be Used as a Guide Only Nylon Braid Approximate Break Strain

Size	No.6 (5mm)	No.8 (6.5mm)
Break Strain (KG)	340	490



Nylon Braid Sash Cord





Rope & Twine Manufacturers Since 1856

Everlasto Braided Polypropylene Sash Cord

Everlasto 'Polybraid' sash cords are premium quality sash cords manufactured from tough solid braided polypropylene fibres in a spiral braid construction. Polypropylene is a cost effective alternative to nylon offering similar synthetic properties such as being waterproof and offering good resistance to biodegradation. Polypropylene sash cords are ideal for use primarily with sash windows and pulley systems. Also available in 'red spot' with a red fleck.

Everlasto Sash Cord Break Strain - To Be Used as a Guide Only Polybraid Approximate Break Strain

Size	No.6 (5mm)	No.8 (6.5mm)	
Break Strain (KG)	270	385	



Polybraid Sash Cord





Rope & Twine Manufacturers Since 1856

Rope & Twine Ranges from James Lever

Clothes Lines
Pulley Lines
Sash Cords
Polypropylene Ropes
Polypropylene Twines
Sisal Twines
Cotton Twines
Butcher's Twines
Baker's Twines
Garden Twines
Endless Cords
Blind Cords
Bungee Cords



visit visit www.Jameslever.co.uk

James Lever
Orient Works
Unit 26
Morris Green Business Park
Prescot Street
Bolton
Lancashire BL3 3PE
United Kingdom.

Tel: (44) 01204 61121 Fax: 01204 658154 Email: sales@jameslever.co.uk

